

Object-Oriented Programming

Creating Java Classes (Cont.)

Computer Science and Technology
United International College

Review

- Class
- Object
- Constructor
- Instance Variables
- Methods
- **this**

Outline

- **Overloading**
- **Java access modifiers**
- **Keyword: `static`**
- **Packages and `import`**
- **Java API**

Java Method Overloading

- Overloaded methods:
 - appear in the same class;
 - have the **same name**; but
 - have different **parameter lists**; and
 - can have different **return types**.
 - **Method overloading** is also called “ad-hoc polymorphism”.
- Why overload?

Example

```
public class Test {
    public char max(char a, char b) {
        return a > b ? a : b;
    }
    public int max(int a, int b) {
        return a > b ? a : b;
    }
    public double max(double a, double b) {
        return a > b ? a : b;
    }
    public static void main(String[] args) {
        Test t = new Test();
        System.out.println("char: " + t.max('A', 'B'));
        System.out.println("integer: " + t.max(1, 2));
        System.out.println("double: " + t.max(1.0, 2.0));
    }
}
```

Java Constructor Overloading

Add multiple constructors to the class **Person**

```
public class Person {  
    private int id;  
    private int age;  
    public Person() { id = 0; age = 20;}  
    public Person(int i) { id = 0; age = i;}  
    public Person(int n, int i) { id = n; age = i;}  
    public int getId() { return id; }  
    public void setId(int id) { this.id = id; }  
    public int getAge() { return age; }  
    public void setAge(int age) { this.age = age; }  
}
```

Java Access Modifiers

- **Methods** and **fields** are regulated using access modifiers: **private**, **protected**, default (no modifier), **public**

Modifier	same class	same package	subclass	Other place
private	Yes	No	No	No
no modifier	Yes	Yes	No	No
protected	Yes	Yes	Yes	No
public	Yes	Yes	Yes	Yes

- Only **public** and no modifier can be used in the **class declaration**
 - A public class can be accessed from any place.
 - A no modifier class can only be accessed from within the same package.

Example

```
class AccessTest { // no modifier
    private int i = 1;
    int j = 2; // no modifier
    protected int k = 3;
    public int l = 4;

    private int getI() {
        return i;
    }
    public void m() {
        i = 5;
    }
}

public class Test {
    public static void main(String[] args) {
        AccessTest at = new AccessTest();
        // System.out.println(at.i); // i is private
        at.m(); // m is public
        // System.out.println(at.getI()); // getI() is private
        System.out.println(at.j);
        System.out.println(at.k);
        System.out.println(at.l);
    }
}
```

public and private Modifiers

- The modifier **public** means that there are no restrictions on where an instance variable or method can be used.
- The modifier **private** means that an instance variable or method cannot be accessed by name outside of the class.
- It is considered good programming practice to make **all instance variables private**
- Most methods are **public**
- Usually, methods are **private** only if used as helping methods for other methods in the class
- Use these modifiers to **encapsulate** data (hide from user).

Information Hiding

- **Information hiding** is the practice of separating how to use a class from the details of its implementation.
- **Abstraction** is another term used to express the concept of hiding details in order to avoid information overload.


Encapsulation

- **Encapsulation** means that the data and methods of a class are combined into a single unit (i.e., a class object), which hides the implementation details.
- Knowing the details is unnecessary because interaction with the object occurs via a well-defined and simple interface.
- In Java, hiding details is done by marking them **private**

Encapsulation

Encapsulation

An encapsulated class



A class definition should have no public instance variables.

protected Methods and Variables

- **protected** instance variables or methods can be accessed by:
 - the code of the class itself;
 - subclasses;
 - other code in the same package.
- **Weak protection** compared to **private**
 - It allows direct access to any programmer who defines a suitable subclass.

Package Methods and Variables

- No-modifier means *package access*
 - Package access is also known as *default* or *friendly access*
- Instance variables or methods having package access can be accessed by name from code inside the same package.

Accessor and Mutator Methods

- **Accessor (getter)** methods allow the programmer to obtain the value of an object's instance variables.
 - The data can be accessed but not changed.
 - The name of an accessor method typically starts with the word **get**
- **Mutator (setter)** methods allow the programmer to change the value of an object's instance variables *in a controlled manner*.
 - Incoming data is typically tested and/or filtered.
 - The name of a mutator method typically starts with the word **set**

Person Example

- **Accessor (getter)** method:

```
public String getName() {  
    return name;  
}
```

- **Mutator (setter)** method:

```
public void setName(String name) {  
    this.name = name;  
}
```

- *If you don't want other programs to access your private data, simply do NOT provide these methods.*

Static Methods

- A **static method** is one that can be used without a calling object, it is independent of objects of that class.
- A static method still belongs to a class, and its definition is given inside the class definition.
- A static method can NOT access instance variables (why not?)

Example

```
public class Test {  
    // main is static so no Test object is necessary.  
    public static void main(String[] args) {  
        double i = 3.24;  
        double j = 56.2;  
        // abs, max, and sqrt are static methods of the  
        // Math class so no Math object is necessary.  
        System.out.println(Math.abs(i));  
        System.out.println(Math.max(i, j));  
        System.out.println(Math.sqrt(j));  
    }  
}
```

Static Methods

- When a static method is defined, the keyword **static** is placed in the method header:

```
public static returnType myStaticMethod(parameters)
{ . . . }
```

- Static methods are invoked using the **class name** instead of using the name of an object:

```
returnValue = MyClass.myStaticMethod(arguments) ;
```

Static Variables

- A **static variable** is a variable that belongs to the class as a whole, and not just to one object.
- There is only one copy of a static variable per class, unlike instance variables where each object has its own copy.
- All objects of the class can read and change a static variable.
- Although a static method cannot access an instance variable, a static method can access a static variable.
- A static variable is declared like an instance variable, with the addition of the modifier **static**:

```
private static int myStaticVariable;
```

Static Variable

- Accessing static variables
 - Use object reference:
`object.staticVariable`
 - Use: `ClassName.staticVariable`

Example:

```
public class Circle {  
    static double pi = 3.1415;  
}
```

Example

```
public class Cat {  
    private static int sId = 1;  
    private String name;  
    private int id;  
    // Each cat automatically gets a new ID number.  
    public Cat(String name) {  
        this.name = name;  
        id = sId++;  
    }  
    public void info() {  
        System.out.println("My name is " + name + " No. " + id);  
    }  
    public static void main(String arg[]) {  
        Cat bob = new Cat("bob");  
        bob.info();  
        Cat alice = new Cat("alice");  
        alice.info();  
    }  
}
```

Can Static method call nonstatic variable/methods?

- A static method **cannot** refer to an instance variable of an object of the class, and it **cannot** invoke a nonstatic method of an object of the class.
- A static method cannot refer to **this**, since it is not part of an object, so it cannot use any instance variable.

Packages

- A **package** is a group of classes that have been placed in a directory or folder.
- A package can be used in any program that includes an **import** statement that names the package.
- The **import** statement must be located at the **beginning** of the program file: only blank lines, comments, and package statements may precede it.
- The program can be in a different directory from the package.

Example: java.util.Scanner

```
import java.util.Scanner; // Scanner class, java.util package

public class Test {
    public static void main(String[] args) {
        System.out.println("Please enter your answer: ");
        Scanner keyboard = new Scanner(System.in);
        String s = keyboard.next();
        System.out.println("Your answer is: " + s);
    }
}
```

Packages

Example: to import all classes from the package java.util:

```
import java.util.*; // all classes in java.util package  
                    // (including Scanner)
```

```
public class Test {  
    public static void main(String[] args) {  
        ...  
    }  
}
```

Creating Packages

- To make a package, group all the classes together into a single directory (folder), and add the following package statement to the top of each class file:

```
package package_name;
```

- Note: **package** goes in front of **import**:

```
package cst.uic;  
import java.util.*;
```

Creating Packages

- **Example:** Suppose we have four classes: **Circle**, **Rectangle**, **Point**, and **Line** that we want to put in a package called “**graphics**”.
- We would add a line of the form
package graphics;
at the start of each java file.

Creating Packages

```
// In the Circle.java file:  
package graphics;  
public class Circle { . . . }
```

```
// In the Rectangle.java file:  
package graphics;  
public class Rectangle { . . . }
```

```
// In the Point.java file:  
package graphics;  
public class Point { . . . }
```

```
// In the Line.java file:  
package graphics;  
public class Line { . . . }
```

Naming Packages

- Package names are written in **all lowercase** to avoid conflict with the names of classes.
- Companies use their Internet domain name to begin their package names:
 - E.g.: `package com.oracle.orion;`
for a package named `orion` created by a programmer at `oracle.com`.
- Packages in the Java language itself begin with `java` or `javax`.

Java files and packages

- The source code of a **public class** must be in a **.java** file with the **same name**:

```
// Must be in the Rectangle.java file:  
package graphics;  
public class Rectangle { . . . }
```

- Put the source file in a **directory** whose name is the name of the **package** to which the class belongs:

```
NameOfProject\graphics\Rectangle.java
```

How to Use Packages

- Declare the fully-qualified class name:

```
graphics.Rectangle rec = new graphics.Rectangle();
```

- Or use an **import** keyword:

```
import graphics.Rectangle;  
Rectangle rec = new Rectangle();
```

Introduction to Java SDK Packages

- **java.lang** - Provides classes that are fundamental to the design of the Java programming language. E.g.: **String**, **Integer**, **Math**, **System** and **Thread**.
- **java.awt** - Contains all of the classes for creating user interfaces and for painting graphics and images.
- **javax.swing** - Provides a set of "lightweight" (all-Java language) components that, to the maximum degree possible, work the same on all platforms.
- **java.net** - Provides the classes for implementing networking applications.
- **java.io** - Provides for system input and output through data streams, serialization and the file system
- **java.util** - Contains the collections framework, legacy collection classes, event model, date and time facilities, internationalization, and miscellaneous utility classes .

Write and Show time

- Study **TestCircle.java**
- Write a **Triangle** class, and the **TestTriangle** class.

Summary

- Java overload method
- Modifiers
- Static
- Packages
- Java API